


GAS

INSERTS



QUALITY FIREPLACES



Time after time, Napoleon has led the way with new and innovative, patented technology. We are proud to say that our products continuously surpass industry standards - not only in appearance, but in efficiency, performance and quality.

Our inspiration is you. Through your requests and suggestions, we are proud to offer you, our valued customer, a line of inserts that cater to your personal needs and tastes.

More than anything, you want to feel confident with your fireplace. At Napoleon, our products are designed to provide just that feeling. Patented technology and attention to detail ensure that our efficient and elegant fireplaces are beyond compare and destined to become classics. It's no wonder our products have become the benchmark for fireplace designs and are *Like No Other!*

Designed for Comfort ...
Styled for Living!

Outstanding Quality

NAPOLEON FEATURES

Impressive Features for your Convenience



Burner System

Napoleon fireplace inserts offer some of the most technologically designed precision port, two stage, three stage and tower burner systems on the market today! You'll love the allure of a woodburning atmosphere with our YELLOW DANCING FLAME® burner systems.

Performance

Napoleon's maximum efficiencies are comparable to a finely tuned automobile. Years of research, design and testing have enhanced optimum performance allowing Napoleon products to achieve some of the highest heater rating efficiencies on the market.

Easy Installation

It's easy to convert that old drafty masonry fireplace into an efficient heat source. A Napoleon insert installs easily into your existing masonry or pre-fabricated fireplace.

Clear Unobstructed View

Enjoy the beauty of a fire without unsightly screens! All Napoleon fireplace inserts offer you a clear and unobstructed view.

Warranty

NAPOLEON GAS FIREPLACE INSERTS are manufactured under the company's strictest quality standards. When you see our President's Limited Lifetime Warranty Logo, you can be confident it's backed by the assurance of high quality, durability and service. To further support Wolf Steel's quality commitment, the company is registered under the world recognized ISO 9001-2000 QUALITY SYSTEM CERTIFICATION.

Remote Control

You can command the power of fire simply with the tip of your fingers! Our ADVANTAGE PLUS™ digital, remote control boasts an easy-to-read back-lit digital readout of the room temperature. The built-in thermostatic control takes a temperature reading every few seconds and turns the fireplace insert on or off instantly! This remote control will even remind you when it's time to replace the battery. For your peace of mind the ADVANTAGE PLUS also features a child proof safety lock and reads temperatures in C° or F°.



Logs

The distinctive PHAZER® logs and glowing embers of our Napoleon fireplaces, inserts and stoves are impressively realistic! Our flame and log pattern is so lifelike ... it's difficult to tell the difference between a real wood burning fire and a Napoleon PHAZER® fire!

Direct Vent Technology

Napoleon's Direct Vent Gas Fireplace Insert design employs a sealed combustion & vent system. This and other innovations allow these inserts to achieve some of the highest efficiencies in the industry today. The direct vent draws its combustion air from outside while venting to the same outside atmosphere - thereby not consuming warm house air. Direct venting also eliminates drafts and heat loss common to existing woodburning fireplaces.

No Power ... No Problem!

Weather out the storm in the comfort of your own home! A Napoleon fireplace insert requires no electricity to light or operate. A built-in millivolt system ensures reliability even during power failures! And all Napoleon fireplace inserts will give you plenty of heat when you need it most.

Napoleon's quality systems are ISO 9001-2000 certified.

Optimize Your Fireplace



GDI30 shown with bay front with safety screen, 24 karat gold ornamental inset and brown Majolica cast iron surround.

THE PERFECT HEATER FOR ANY LIFESTYLE

When entering your home, there is nothing more inviting than the warm and cozy atmosphere created by a Napoleon fire. The GDI30 installs easily into your existing masonry or prefabricated fireplace. You'll enjoy relaxing around your fireplace knowing that you have transformed it into an attractive and efficient heating source. Elegant designer options include cast iron surrounds, bay front with safety screen for those inquisitive little fingers as well as orna-

mental insets and louvres to transform any room into your tranquil getaway. A sophisticated 24,500 BTU pan burner provides ample heat and produces the natural wood fire look that invites you to curl up in front of the soothing flames. The state-of-the-art pan burner system with a maximum 85% efficiency guarantees a wide adjustable heat output and flame size. The choice and heat selection is yours!



GDI30 shown with black flashing and painted black louvers.

Picture Perfect



Model **GDIZC**



▲ GDI44 shown with 3 sided black trim kit, decorative brick panels and 24 karat gold plated webbed arched decorative door. Also available for the GDIZC.

FINALLY AN INSERT WITH A HUGE VIEWING AREA!

More flame and heat adjustment than any other unit! **With up to 40,000 BTU's, a massive viewing area and an incredible 75% turn-down rate (to 10,000 BTU's)** the GDI44 is perfect to improve your existing inefficient woodburning fireplace!

DESIGNER OPTIONS FOR THE GDIZC & GDI44



4 sided brass trim and backer plate



3 sided brass trim and backer plate



4 sided black trim & polished brass upper door trim



3 sided brass trim and deluxe flashing



GDIZC shown with 3 sided black trim, deluxe flashing, decorative brick panels & polished brass upper door trim

FITS THE SMALLEST FIREPLACE OPENINGS WITH THE **LARGEST** VIEWING AREA IN THE INDUSTRY

The GDIZC is a direct vent unit designed to fit even the smallest zero clearance or masonry fireplaces, yet still provides you with over 400 square inches of ceramic glass viewing area!

When Quality Is Important



IMAGINE THE DIFFERENCE AN EFFICIENT FIREPLACE CAN MAKE!

Keep the home fires burning with Napoleon's G13016! Transform that inefficient existing masonry or zero clearance fireplace into a reliable and economical heat source! Available with a bay or flushmount door, this fireplace insert has well over 150 designer options to suit your personal needs and taste! All in all, this insert is an exceptional choice for your comfort and long term appeal!



GI3016
Optional Decorative

Trim Kits



Bay Door with Polished Brass Flashing and 24 karat Gold Plated Louvres



Bay Door with Black Flashing and 24 karat Gold Plated Louvres



Bay Door with Black Flashing and 24 karat Gold Plated Ornamental Insets



Bay Door with Stainless Steel Flashing and 24 karat Gold Plated Ornamental Insets



Bay Door with Stainless Steel Flashing and Black Ornamental Insets



Bay Door with Black Flashing and Black Ornamental Insets



Flushmount Door with Cast Iron Surround and Polished Brass Louvres



Flushmount Door with Porcelain Enamel Green Flashing, Polished Brass Louvres with Web Arch Design



Bay Door with Black Flashing and Black Louvres



Flushmount Door with Polished Brass Flashing and Black Ornamental Insets



Flushmount Door with Almond Flashing & Polished Brass Louvres

Economical & Versatile



GI3600 Flushmount ▲

GI3600 with Bay Glass Assembly & Bay Louvre Assembly ►

COMFORT AND LONG TERM APPEAL

Here's the secret to a warmer home! Replace your drafty old fireplace with this beautiful Napoleon insert. The GI3600 is especially designed to fit smaller woodburning zero clearance fireplaces. Options include louvres, 6" & 9" flashing kits and cast iron surrounds in various finishes. Unit comes standard as a flushmount model & optional add-ons include: bay frame, bay glass or bay screen assemblies, that can be retrofitted to change the look of your fireplace insert.

Green



Almond



Black



Porcelain enamel is a glass finish baked into metal at 1800°F to give you a deep, lustrous, scratch resistant and easy to clean surface lasting a lifetime.*

*Actual colors may vary slightly from brochure

Product Specifications

	GDI30	GDI44	GDIZC	GI3016	GI3600
Wall furnace rated			***		
Heater (H) or decorative (D) rated	H*	H*	H*	H*	D**
PHAZER® logs	S	S	S	S	S
Ceramic Glass	S	S	S	S	S
100% safety shut-off	S	S	S	S	S
No hearth extension required	S	S	S	S	S
Sealed combustion chamber (direct vent)	Y	Y	Y	-	-
Bedroom approved	Y	Y	Y	Y	Y
Bed sitting room approved	Y	Y	Y	Y	Y
Bathroom approved	Y	Y	Y	-	-
Door size	14 x 28 1/2	22 3/8 x 36 1/4	16 x 28 1/2	13 x 29 3/4	11 3/4 x 29 3/4
Blower	S	S	S	S	S
Limited Lifetime Warranty	S	S	S	S	S

* Certified to the Vented Gas Fireplace Heater Standard in Canada & United States: CSA 2.33 and ANSI Z21.88.
 ** Certified to Canadian & American Standards, CSA 2.22-M98 and ANSI Z21.50-1998 for vented gas fireplaces.
 *** Tested to both Z21.86, Z21.88 and CSA 2.32, CSA 2.33 to Canadian and American Standards


Accessories

	GDI30	GDI44	GDIZC	GI3016	GI3600
Flush glass door		S	S	S	○
Bay window glass door		-	-	-	○
Bay front with safety screen		○	-	-	○
Bay frame assembly		-	-	-	○
Bay glass assembly		-	-	-	○
Bay screen assembly		-	-	-	○
Decorative door kits in gold plated or black available in webbed arched or arched		-	○	○	-
Webbed, black arched door fascia (with flush glass only)		-	-	-	○
Decorative brick panels		○	○	○	○
2" polished brass trim kit		-	-	-	○
Lower louvres in black, PB, AB or brushed stainless steel		○	-	-	○
Gold plated louvres		○	-	-	○
Gold plated door trim		○	○	-	-
Gold plated or black ornamental inset		○	-	-	○
Cast iron surrounds available in painted black and green, brown, blue and black porcelain enamel		○	-	○	○
Andirons		○	○	○	○
Advantage hand held remote control (digital display)		○	○	○	○
Advantage Plus hand held remote control (thermostatic control)		○	○	○	○
Wall thermostat		○	○	○	○
Zero clearance kit (for combustible construction applications)		-	-	-	○
Deluxe flashing kits (incl. marquis trim)†					
6" & 9" blk, polished brass, antique brass, brushed st. steel with blk trim, porcelain almond, blk or green	○	-	○	○	○
Extruded aluminum trim kits					
3 or 4 sided, polished black or brass, textured black	-	○	○	-	-
Backer plates (†† GDIZC) (††† GDI44)					
3 or 4 sided, matte blk incl. gold acrylic accent trim	-	○	○	-	-
Basic 3D flashing					
6" & 9" black or polished brass	-	-	-	○	○


† 6" deluxe flashing fits openings up to 27" x 42" and 9" flashing fits openings up to 30" x 48"
 †† 3 sided backer plate fits openings up to (††26 3/4" x 44 3/4") (††† 33 1/2" x 52") and 4 sided fits openings up to (†† 36 1/2" x 44 3/4") (††† 42 3/4" x 52")

STANDARD: S OPTIONAL: O YES: Y N/A: -
 † (for bay front only)


MODEL GDI30




MODEL GDI44




MODEL GDIZC




MODEL GI3016



MODEL GI3600




MEASURING FOR YOUR INSERT



Product Specifications & Efficiencies

		BTU Input	BTU Output	Max. Steady State	AFUE	Minimum Fireplace Opening
GDI30	Natural Gas	15,000 - 24,500	12,750 - 21,000	85%	82%	28" W x 21 3/4" H x 18" D
	Propane	19,000 - 24,500	12,750 - 21,000	85%	82%	28" W x 21 3/4" H x 18" D
GDI44	Natural Gas	13,000 - 40,000	9,000 - 27,600	69%	-	32" W x 21" H x 16" D
	Propane	10,000 - 40,000	6,900 - 27,600	69%	-	32" W x 21" H x 16" D
GDIZC	Natural Gas	14,000 - 24,000	10,200 - 20,400	85%	79%	25" W x 14 1/2" H x 11" D
	Propane	15,000 - 24,000	11,000 - 20,400	85%	79%	25" W x 14 1/2" H x 11" D
GI3016	Natural Gas	20,000 - 30,000	15,200 - 22,800	76%	64%	26 1/2" W x 21" H x 17 1/2" D
	Propane	18,600 - 24,000	14,100 - 18,200	76%	64%	26 1/2" W x 21" H x 17 1/2" D
GI3600	Natural Gas	16,000 - 24,000	10,600 - 15,900	67%	-	25 1/2" W x 17 1/2" H x 16 1/2" D
	Propane	17,000 - 22,000	12,300 - 15,900	72%	-	25 1/2" W x 17 1/2" H x 16 1/2" D





Model GI3016

No Comparison! -Replace your drafty, inefficient fireplace, with a Napoleon gas insert

Installed into an existing masonry fireplace

Installed into an existing 0" clearance fireplace



- 1 Pick appropriate insert that fits your requirements
- 2 Choose your trim
- 3 Select your decorative trim surround
- 4 Exhaust/intake installed by your dealer

Other Napoleon Products



Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Napoleon® is a registered trademark of Wolf Steel Ltd. Patent U.S. 5.307.801, 75054- Can. 2.073.411, 2.082.915, 74589 © Wolf Steel Ltd.



Authorized Dealer

Wolf Steel Ltd.
24 Napoleon Road
Barrie, ON
Canada L4M 4Y8

Wolf Steel Ltée-Logistique Quebec
7200 Route Transcanadienne
Montreal, PQ
Canada H4T 1A3

Wolf Steel USA Inc.
Crittenden, Kentucky
USA 41030



Phone 705-721-1212 • Fax: 705-722-6031
www.napoleonfireplaces.com • www.fireplacedesignstudio.com
 ask@napoleon.on.ca

